

INDEX.

[Synonyms and native names are printed in *italics*. A star * denotes the first publication of a name.]

- Abrolhos Islands, Percy Sladen Trust Expeditions to, by W. J. Dakin, 127-180; general description, 135-180; Vertebrate Fauna, by W. B. Alexander, 457-486.
- Abundance of Marine animals (Spolia Rumiana IV.), by W. A. Herdman, 247-259.
- Acanthistius serratus, *Cuv. & Val.*, 480.
- Acartia clausi, *Giesbr.*, distrib., 98, 110, 112, 119, 124.
- Achærodes gouldi (*Rich.*), 149, 174, 482.
- Achamarchis dentata*, Lamx., 5.
- Acrocecropis, *Heinrich & De Gryse*, 449.
- Acrocephalus schoenobænus, *Newton*, mistakes artificial for real insect, 58.
- Aeroloxus lacustris (*Linn.*), 210.
- Actinia equina (*Linn.*), abundance, 255.
- Actinopora*, d'Orb., mentd., 37.
- *regularis*, d'Orb., 38.
- Actitis hypoleucis auritus (*Latham*), 475.
- Adeona Heckeli, *Reuss*, 4.
- sp., 24.
- Adeonella, *Busk*, mentd., 16.
- *contorta*, Waters, 3, 5, 23, 24.
- *insidiosa*, *Jull.*, 4.
- *lichenoides*, *Busk*, 24.
- *platalea*, *Busk*, 24.
- *polymorpha*, *Busk*, 24.
- *polystomella*, *Reuss*, 24.
- Adeonellopsis distoma, *Busk*, 24.
- *Crosslandi*, *Waters*, 24.
- Ægeon pennatus, *Sp. Bate*, 346.
- Actea recta, *Hincks*, 3, 5.
- Ageniaspis, *Thoms.*, mentd., 332.
- Agriolimax agrestis (*Linn.*), 206.
- Albatross, Yellow-nosed, 484.
- Alexander, W. B., Vertebrate Fauna of the Abrolhos Islands, 457-486.
- Algæ, occur. in the Abrolhos Islands, 171; —, green, mentd., footnote 321; —, red, mentd., 307; —, mentd., 219.
- Alkalinity of the sea in its relation to phytoplankton, 124.
- Alpheus aculeipes, *Cout.*, 379.
- *alcyone*, *De Man*, 350, 379.
- *audouinii*, *Cout.*, 351, 381.
- *bouvieri*, *A. M.-Ed.*, var. *hululensis*, *Cout.*, 351, 381.
- *bucephaloides*, *Nobili*, 345, 350, 379.
- *bucephalus*, *Cout.*, 380.
- *consobrinus*, *De Man*, 345, 350, 380.
- *djeddensis*, *Cout.*, 346.
- *djiboutensis*, *Cout.*, 346.
- *gracilis*, *Heller*, 350, 378.
- — *var. alluaudi*, *Cout.*, 378.
- — *var. luciparensis*, *De Man*, 378.
- *insignis*, *Heller*, 351, 380.
- *lottini*, *Guér.*, mentd., footnote 378.
- *macrodactylus*, *Ortm.*, 346.
- *malleodigitus* (*Sp. Bate*), 346.
- *microstylus* (*Sp. B.*), 350, 379.
- *pachychirus*, *Stimps.*, 351, 380.
- *paracrinitus*, *Miers*, 351, 380.
- — *var. bengalensis*, *Cout.*, 381.
- *parvirostris*, *Dana*, 351, 381.
- spp., 161, 345, 350, 351, 379.
- *strenuus*, *Dana*, 351, 381.

- Alpheus ventrosus*, *H. M.-Ed.*, 350, 378.
Amathia, *Rathke*, mentd., 20.
 — *connexa*, *Busk* (sp. dub.), 40.
 — *distans*, *Busk*, 40, 41.
 — *lendigera*, *Lamx.*, 40.
 — *obliqua*, *MacG.*, 40.
 — *tortuosa*, *T. Woods*, 3, 39-41.
 — *Vidovici*, *Waters*, 3, 40, 41.
 — *Wilsoni*, *Kirkp.*, 41.
Amia, *Limn.*, mentd., 186.
 — *ruppelli* (*Günth.*), 481.
Amphibolurus barbatus (*Cur.*), 461.
Anabrus, *Pack.*, 434.
Anatidae, mentd., 52.
Anatis ocellata (*Linn.*), 444, 445.
Anychistus inermis, *Miers*, 345, 346, 351, 391.
 — *miersii* (*De Man*), 351, 391.
Ancylus fluviatilis, *Müll.*, 204, 210.
Andricus, *Hart*, mentd., 329-332.
Anemones, occur. in Abrolhos Islands, 161.
Anemonia sulcata, *Penn.*, 257.
Annélides Polychètes de l'Archipel Houtman Abrolhos, par P. Fauvel, 487-500.
Anodonta anatina (*Linn.*), 215.
 — *cygnea* (*Linn.*), 215.
Anomalocera, *Templ.*, sp., distrib., 115.
Anoplocapros lenticularis, *Rich.*, 484.
Anous stolidus gilberti, *Mathews*, 471, 484.
Anser, *Briss.*, sp., mistakes artificial for real insect, 58.
Ant, occur. on the Abrolhos Islands, 160.
Anteliotringa tenuirostris (*Horsfield*), 475.
Anthea cereus, *Ell. & Sol.*, abundance, 257.
Anthus australis, *Vieillot*, 466.
 — — *bilbali*, *Mathews*, 466.
 — *pratensis*, *Bechst.*, mentd., 52; mistakes artificial for real insect, 58.
Anurida, *Lab.*, 436.
 — *maritima*, *Guérin*, 433.
Apanteles, *Först.*, mentd., 283, 331.
Aplysia, *Limn.*, sp., 170-171; mentd., ftnote 259.
Aplysilla, *F. E. Schulze*, 322.
Apsendesia, *Lamx.*, 37.
 — *cristata*, *Lamx.*, 37, 38.
Apterygota maxillulæ in the, 430-433.
Arctcephalus australis, *Gray*, 478.
 — *lobatus*, *Gray*, 478.
Arenaria interpres oahuensis (*Blocham*), 473.
Arenicola antillensis, *Ehlers*, 497.
 — *cristata*, *Stimps.*, 487-489, 497.
 — *marina* (*Linn.*), abundance, 255.
Arianta arbustorum (*Linn.*), 207.
Arion ater (*Linn.*), 206.
 — *empiricorum*, *Fér.*, 206.
Armaudia lanceolata, *Willey*, 487, 488, 496.
Arthropoma Cecillii, *Lev.*, 3, 20.
Ascaltis cerebrum, *Haeck.*, 311, ftnote 312, 316, 317; mentd., 301.
 — *reticulum*, *Haeck.*, 316, 317; mentd., 299.
Ascetta primordialis, *Haeck.*, ftnote 307.
Ascidians, occur. in Abrolhos Islands, 161; mentd., ftnote 259.
Ascopodaria discreta, *Busk*, 42.
Ascusia, *Jullien*, 408.
Asellus aquaticus, *de Fourc.*, reprod., 335-343.
Astacillinea, *Collinge**, new group of *Valvifera*, 71.
Astræa, *Gmel.*, sp., 158.
Astrarium, *Link*, 161.
Astrophyton, *Link*, sp., 162.
Athanas crosslandi, *Tattersall**, 345, 350, 372.
 — *dimorphus*, *Ortmann*, 350, 371, 373.
 — *djiboutensis*, *Cout.*, 350, 368.
 — *haswelli*, *Cout.*, 373.
 — *minikoensis*, *Cout.*, 373.
 — *maifaroensis*, *Cout.*, mentd., 373.
 — *nitescens*, *Aud. & Sav.*, 346, 375.
 — *orientalis*, *Pearson*, 373.
 — *parvus*, *De Man*, 345, 350, 372.
 — *polymorphus*, *Kemp*, 345, 369, 370, 373.
 — sp., 345, 350.
Aulopus purpurissatus, *Rich.*, 485.
Auricularia stagnorum, *Klein*, 211.
Axiopsis sethiopica, *Nobili*, 351, 394.

Bættis binoculatus, *Leach*, food of Trout, 50, 57.
 — *pumilus*, *Burm.*, food of Trout, 50.
 — *vernus*, *Curtis*, sub-imago, the food of Trout, 48.
Balanus balanoides (*Linn.*), abundance, 250-252, 255.
Balea fragilis, *Drap.*, 210.
 — *perversa* (*Linn.*), 210.
Barentsia discreta, *Kirkp.*, 3, 42.
 — *misakiensis*, *Asajiro Oka*, 42.

- Bat mistakes artificial for real insect, 58.
 Batopora, *Reuss*, 407, 408, 421; mentd., 401.
 — *conica*, *Seguenza*, 424.
 — *conica*, *Hantken*, 424.
 — *multiradiata*, *Reuss*, 404.
 Beania elongata, *Hincks*, 8.
 — *hirtissima*, *Heller*, 3, 8.
 — — *var. robusta*, *Hincks*, 8.
 — *magellanica*, *Busk*, 4, 8.
 — *spinigera*, *MacG.*, 8.
 Biblio, *Geoffr.*, 451, 453.
 — *johannis*, *Meig.*, 452; food of Swallow, 52; imago, the food of Trout, 49.
 — *pomonæ* (*Fabr.*), 451, 452.
 Bicupularia, *Reuss*, 408.
 Bidder, G. P., Fragrance of Calcinean sponges and the spermatozoa of *Guancha* and *Sycon*, 299-304; *Syn-crypta spongiarum*, *Bidder* *, 305-13; Notes on the physiology of sponges, 315-326.
 Bidulphia, *Gray*, distrib., 99, 100.
 — *mobiliensis*, *Bail.*, distrib., 99, 101, 124.
 — *regia*, *O. Schultze*, distrib., 101.
 — *siuensis*, *Grev.*, distrib., 98, 101, 124.
 Bipora, *Whitelegge*, 408.
 — *cancellata*, *Whitelegge*, 419.
 — (?) *elegans*, *Whitelegge*, 421.
 — *philippinensis*, *Whitelegge*, 420.
 Birds, feeding-habits, 47-60.
 Biselenaria, *Gregory*, 409.
 Bithynia tentaculata (*Linn.*), 213.
 Blatta, *Linn.*, 453.
 Blennius tasmanianus, *Rich.*, 483.
 Bonellia, *Desh.*, sp., 175.
 Boneta, mentd., 469.
 Bowerbankia, *Favre*, 41.
 — *gracillima*, *Hincks*, 42.
 — *imbricata*, *Adams*, 41.
 — *pustulosa*, *Hincks*, var. *alternata*.
Waters *, 3, 41.
 Brachycentrus subnubilus, *Curtis*, food of fishes, 48, 51; food of birds, 52.
 Bream, *Buffalo*, 149.
 British Guiana, new genus of Isopoda from (*W. E. Collinge*), 61-63.
 Bruchigavia novæhollandiæ longirostris (*Masters*), 473.
 Buccinum acicula, *Müll.*, 209.
 Bugula dentata, *Busk*, 3, 5.
 Bulimus acutus, *Müll.*, 206.
 Bulla fontinalis, *Linn.*, 213.
 — *hypporum*, *Linn.*, 204, 213.
 Caberea Boryii, *Aud.*, 6.
 — *bursifera*, *Ort.*, 6.
 — *Darwinii*, *Busk*, 6.
 — *Ellisii*, *Flem.*, 6.
 — *glabra*, *MacG.*, 6.
 — *grandis*, *Hincks*, 6.
 — *Hookeri*, *Busk*, 6.
 — *lata*, *Calv.*, 6.
 — *ligata*, *Busk*, 4.
 — *minima*, *Busk*, 6.
 — *rostrata*, *Busk*, 6.
 Cacospongia, *Schmidt*, 313.
 Calanus finmarchicus (*Gunner*), distrib., 98, 110-117, 122, 124, 125.
 — sp., food-value, 259.
 Calcinean sponges, their fragrance (*Bidder*), 299-304.
 Callogobius mucosus (*Günth.*), 483.
 Campodeæ lubbocki (*Silvestri*), 431.
 Campylus linearis (*Linn.*), 444.
 Cancer, *Linn.*, sp., mentd., ftnote 259.
 Cantherines granulatus (*Shaw*), 483.
 — *hippocrepis* (*Quoy & Gaim.*), 483.
 Cape Crawfish, early larval stages, 189.
 Cape Verde Islands, marine fauna, by A. W. *Waters*, 1-45.
 Caprimulgus europæus, *Linn.*, mistakes artificial for real insect, 58.
 Carabus violaceus, *Linn.*, 444.
 Caranx georgianus, *Cuv. & Val.*, 481.
 — *platessa*, *Cuv. & Val.*, 149.
 Carteriospongia, *Hyatt*, 310, 313, 322.
 Carychium minimum, *Müll.*, 204.
 Catenaria Lafontii, *Aud.*, 405.
 Catoptropelecanus conspicillatus (*Temm. & Laug.*), 477.
 Cats introduced to keep down rats in the Abrolhos Islands, 138, 457; mentd., 460, 461, 472.
 Cellaria, *Ellis*, 405, 417; mentd., 17.
 — *biseriata*, *Mapl.*, 4.
 Cellepora, *Gmel.*, 16, 17, 407.
 — *americana*, *Osburn*, 19.
 — *avicularis*, *Hincks*, 19.
 — *globularis*, *Reuss*, ftnote 402.
 — *intricata*, *Calv.*, 4.

- Cellepora sexspinosa*, Waters, 22.
 — *spongites*, Pall., 17.
Celleporella hyalina, Norm., 20.
 Centropages, *Kröy.*, sp., distrib., 120.
Cerchneis cenchroides unicolor (*Milligan*), 464.
 "Cercids," proposed new term for "minute wandering cells," 315.
 Chætoceras, *Kütz.*, distrib., 99, 100.
 — boreale, *Bail.*, distrib., 101, 104, 124.
 — contortum, *Schütt.*, distrib., 104, 124.
 — criophilum, *Castr.*, distrib., 104, 124.
 — debile, *Cleve*, distrib., 101, 104, 106, 124.
 — decipiens, *Cleve*, distrib., 104, 106, 124.
 — densum, *Cleve*, distrib., 101, 104, 124.
 — diadema, *Cleve*, distrib., 104, 124.
 — sociale, *Laud.*, distrib., 100, 101, 104, 124.
 — spp., distrib., 98, 100, 101; food-value, 259.
 — subtile, *Cleve*, distrib., 101.
 — teres, *Cleve*, distrib., 101, 104, 106, 124.
 Chætoceros, *Ehrenb.* = Chætoceras, *Kütz.*
 Chætodermis maccullochi, *Waite*, 483.
 Chapman, F., *Sherbornina* *, a new genus of Foraminifera from Table Cape, Tasmania, 501-503.
Chaunosia hirtissima, Busk, 8.
 Chelidon urbica, *Boie*, its food, 51.
 Chelidonichthys kumu, *Less. & Garn.*, 483.
 Chelonia mydas, *Linn.*, 479.
 Chenopis atrata (*Latham*), 476.
 Chilodactylus, *Lac.*, 485.
 Chiridotea, *Harger*, 69-72.
 — cæca, *Harger*, 73.
 — *sabini*, Stebbing, 74.
 — tuftsii, *Harger*, 74.
 Chiriscus, *Richardson*, 70, 71.
 — australis, *Richardson*, maxillipedes, 69.
 Chironomus, *Woll.*, 451-453.
 — sp., 452.
 Chitin, new method of making microscopical preparations of, 67-68.
 Chloëia flava (*Pall.*), 488, 492.
 — *capillata*, Sav., 492.
 Chloëon, *Leach*, 453.
 — dipterum (*Linn.*), 435-437.
 Chloride of lime used as fish-poison in rock-pools, 130, 160.
 Chloroperla, *Newm.*, 436.
 Chorizopora Brongniarti, *Hincks*, 3, 21.
 Chrysopa, *Leach*, 440, 453.
 — flava (*Scop.*), 441.
 Cidarids, 174.
 Clathrina, *Gray*, 301; mentd., 307.
 — clathrus, *O. Schmidt*, 307, 311, 317.
 — contorta, *Hæck.*, 311.
 — coriacea (*Dendy*), 301, 307, 315, 317.
 — sp., 311.
 Clausilia bidentata, Ström, 205.
 — rugosa, *Drap.*, 210.
 — spp., 204, 210.
 Cleantiella, *Richardson*, 69-71.
 Cliona, *Grant*, mentd., fnote 324.
 Clupanodon neopilchardus (*Steind.*), 479.
 Clupea harengus, *Linn.*, pectoral girdle, 505-509.
 — pilchardus, *Walb.*, pectoral girdle, 505-509.
 — sprattus, *Linn.*, pectoral girdle, 505-509.
 Clupeids, new type of Teleostean Cartilaginous Pectoral Girdle in, by E. S. Goodrich, 505-509.
 Cnidoglanis megastomus (*Rich.*), 480.
 Uchlicella acuta (*Müll.*), 205.
 — barbara (*Linn.*), 206.
 Codium, *Stack.*, spp., 160.
 Coleoptera, maxillulæ in the, 442-445.
 Colidotea, *Richardson*, 69-71.
 Collinge, W. E., *Paracubaris spinosus* *, a new genus and species of terrestrial Isopoda from British Guiana, 61-63; Oral appendages of certain species of Marine Isopoda, 65-93.
 Coloration, warning, in fish and birds, 47-60.
 Colpognathus dentex, *Cuv. & Val.*, 480.
 Conchodytes meleagrinae, *Peters*, 351, 392.
 Conescharellina, *d'Orb.*, 401, 403, 406-7.
 — angulopora, *Hasw.*, 405, 411, 420-422.
 — angustata, *d'Orb.*, 419.
 — cancellata (*Busk*), 419-423.
 — *cancellata*, Waters (pars), 420.
 — clithridiata, *Greg.*, 407.
 — conica, *Hasw.*, 421-424.
 — *conica*, Hantken, 423.
 — *depressa*, *Hasw.*, 422.
 — *elegans*, Waters, 421.
 — *evocena*, *Neviani*, 404, 424.
 — flabellaris, *Lev.*, 405, 420-423.

- Conescharellina incisa*, Waters (pars), 423.
 — *philippinensis* (Busk), 419-423, cf. 404-406, 411.
Congrogadus subducens, Rich., 483, 485.
Conus magus, Linn., 154.
 Copepoda, distrib. in Irish Sea, 95-126.
 Copidosoma, Ratz., mentd., 331.
 Coral Formations of the Abrolhos Islands, 176-180.
Coralliocaris lamellirostris, De Man, 390.
 — *lucina*, Nobili, 351, 390.
 — *superba* (Dana), 351, 390.
Coris auricularis, Cuv. & Val., 149, 482, 486.
 Cormorants, mentd., 476.
Coryzichthys diemensis (Rich.), 484.
Coscinodiscus, Ehr., distrib., 99, 100.
 — *concinuus*, W. Sm., distrib., 101, 103.
 — *Grani*, Cleve, distrib., 103.
 — *radiatus*, Ehr., distrib., 101, 103.
Cosmopelia elegans (Temm.), 467.
 — — *neglecta*, Mathews, 464.
Cotile riparia, Boie, its food, 51.
 Crabs, mentd., 170.
Crabzoz, Sp. Bate, 69-71.
Crassatellites oblonga, T. Woods, mentd., 501.
Cribrilina acanthoceros, MacG., 12.
 — *annulata*, Fabr., 10.
 — *Balzaci*, Waters, 10, 12, 13.
 — *figularis*, Hincks, 12, 13.
 — *Gattyæ*, Hincks, 10, 11, 12, 13.
 — *innominata*, Norm., 12.
 — *latimarginata*, Busk, 12.
 — *monoceros*, Busk, 10, 12.
 — *nitido-punctata*, Smitt, 12.
 — *patagonica*, Waters, 12.
 — *projecta*, Waters, 10.
 — *punctata*, Hass., 10, 12.
 — *radiata*, Smith, 3, 10; mentd., 2.
 Crinoid, sp., occurring in the Abrolhos Islands, 170.
Criserpia, H. M. Edw., 32.
Crisia, Lam., 24-30; mentd., 2.
 — *acropora*, Busk, 28.
 — *aculeata*, Hass., 25.
 — *biciliata*, MacG., 25.
 — *conferta*, Busk, 4, 25, 29.
 — *Corbini*, Canu, 25.
 — *cribraria*, Stimps., 25.
 — *cunenta*, Mapl., 25.
Crisia denticulata, M. Edw., 25, 28.
 — — *var. verdensis*, Waters*, 3, 27.
 — *denticulata*, Waters, 29.
 — *eburnea*, Hincks (pars), 25, 30.
 — — *var. laxa*, Busk, 30.
 — *eburneo-denticulata*, Smitt, 25, 30.
 — *Edwardsiana*, d'Orb., 25.
 — *elongata*, M. Edw., 25, 28.
 — *elongata*, Harmer, 25, 28.
 — *elongata*, Norm., 4.
 — *fistulosi*, Heller, 25, 30.
 — *geniculata*, M. Edw., 25.
 — *Holdsworthii*, Busk, 25.
 — *howensis*, MacG., 25.
 — *inflata*, Waters, 25.
 — *kergeuelensis*, Busk, 25, 30.
 — *maxima*, Rob., 25, 27.
 — *operculata*, Rob., 25.
 — *pacifica*, Rob., 27.
 — *pugeti*, Rob., 25, 27.
 — *ramosa*, Harmer, 4, 25, 30.
 — *serrata*, Waters, 28.
 — *sertularoides*, d'Orb., 25.
 — *sigmoidea*, Waters, 3, 29.
 — *sinclairensis*, Busk, 28.
 — *tenella*, Calv., 4.
 — *tenuis*, MacG., 25.
 — *tubulosa*, Busk, 3, 25, 26.
 — *vincentensis*, Waters*, 3, 29.
 Crossland, Cyril, coll., 1, 345.
Cryptoplax, Gray, sp., 170.
Cubaris, Brandt, mentd., 61.
Cumulipora angulata, v. Maelr., mentd., 15.
Cuncuma leucogaster (Gmel.), 477.
Cupularia, Lamx., 401-415; mentd., 6.
 — *bidentata*, Reuss, 404.
 — *canariensis*, Busk, 399-403, 406, 407, 410, 413, 421.
 — *deformis*, Busk, 413.
 — *denticulata*, Conrad, 412-415.
 — *doma*, Smitt, 413.
 — *guineensis*, Busk, 411.
 — *Haidingeri*, Reuss, 413.
 — *Haidingeri*, Manzoni, 414.
 — *Johnsoni*, Busk, 411, 413; mentd., 399-402.
 — *Lowe*, Busk, 400, 402, 412, 413, 415; mentd., 399.
 — *minima*, Busk MS., 419.
 — *Oweni*, Gray, 4, 413.

- Cupularia Reussiana*, Manzoni, 413.
 — *umbellata*, *Defr.*, 4, 400, 413, 414.
Cycloleculina, *Heron-Allen & Earland*,
 mentd., 502.
 — *annulata*, *Heron-Allen & Earland*,
 mentd., ftnote 502.
 — *polygyra*, *Heron-Allen & Earland*,
 mentd., 502.
Cyclostoma acutum, *Drap.*, 209.
Cymbalopora, *Hag.*, 408.
Cynthia, *Gistl.*, mentd., 283.
Cypselus apus, *Ill.*, its food, 51.
Cytherea reticulata, *Linn.*, 154.
- Dactylophora nigricans*, *Rich.*, 482.
 Dakin, W. J., Percy Sladen Trust Expedi-
 tions to the Abrolhos Islands, 127-
 180.
Dampiera lineata, *Cast.*, 480.
 Darwin, Charles, his visit to the Abrolhos
 Islands, 133.
Dascillus, *Latr.*, 443.
Defrancia, *Bronn*, mentd., 37, 38.
Delma fraseri, *Gray*, 461.
Demigretta sacra cooktowni, *Mathews*,
 475.
Dendronotus, *Ald. & Hancock*, mentd., 170.
Denisonia coronata (*Schleg*), 460, 468.
 Dermaptera, maxillulæ in the, 433-434.
Diachoris hirtissima, *Heller*, 8.
Diastrophus, *Hart.*, mentd., 329.
 Diatoms, distrib. in Irish Sea, 95-126.
Diloptaxis, *Reuss*, 409.
Diplodactylus ornatus, *Gray*, 461.
 — *spinigerus*, *Gray*, 461.
 — *vittatus*, *Gray*, 461.
Diplopterus, *Agass.*, mentd., 184, 187.
Diplosoma, *Farre*, sp., abundance, 257.
 Diptera, occur. on the Abrolhos Islands,
 170; maxillulæ in the, 451, 452.
Dipterus, *Sedg. & Murch.*, mentd., 181.
Discocavea, *Marss.*, 37.
Discoescharites, *Roemer*, 408.
Discoflustra doma, d'Orb., 414.
Discoflustrella, d'Orb., 408, 414.
 — *doma*, d'Orb., 413.
Discoflustrellaria, d'Orb., 408, 414.
Discopora albivestris f. *pusilla*, *Smitt*, 22.
 — *coccinea*, *Smitt*, mentd., 13.
 — *stenostoma*, *Smitt*, mentd., 13.
- Discopora ventricosa*, *Smitt*, mentd., 13.
Discoporella, d'Orb., 401, 408.
 — *Beradana*, d'Orb., 414.
 — *umbellata*, d'Orb., 414.
Discosparsa marginata, d'Orb., 37.
 Dolphins, mentd., 469.
Dorodotes levicarina, *Sp. Bate*, 346.
Doryphora, *Ill.*, mentd., 453.
 — *decemlineata*, *Say*, 445.
 Dry-rot, efflorescence, mentd., 299.
- Echinometra mathæ*, *Blainv.*, 148, 170.
Echinus esculentus, *Linn.*, 175.
 — sp., mentd., ftnote 259.
Edotia, *Guér.-Mén.*, 69-72.
 — *bicuspidata*, *Miers*, 88.
 — *bicuspidata*, G. O. Sars, 88.
 — *hirtipes*, *Miers*, 86.
 — *nodulosa*, *Miers*, 89.
Egernia kingi (*Gray*), 461.
 — *stokesi* (*Gray*), 461, 466, 467.
 — *whitei* (*Lacep.*), 461, 468.
Emberiza schenicius, *Linn.*, its food, 52.
Engidotea, *Barnard*, 69-71.
Ennalipora, *Gobb & Horn*, 409.
Enoplosus armatus (*Shaw*), 482.
Entalophora raripora, d'Orb., 4.
 — *reticulata*, *Calv.*, 4.
 — *subverticillata*, *Calv.*, 4.
Enteropneust, a new, mentd., 180.
Ephemera, *Linn.*, 435, 436.
 — *danica*, *Müll.*, food of fishes, 48, 51;
 food of birds, 52, 53.
Ephemerella ignita, *Poda*, food of Trout,
 57; as artificial insect taken by birds,
 58.
 Ephemeridæ, maxillulæ in the, 435-436.
Epimys fuscipes (*Waterhouse*), 459, 467.
Epinephelides armatus (*Cast.*), 480.
 — *leai*, *Ogilby*, 480.
Epinephelus fasciatus, *Forsk.*, 480.
 — *merra*, *Bloch*, 480, 485.
Erichsonella, *Benedict*, 69-72.
 — *attenuata*, *Richardson*, 85.
Erichsonia attenuata, *Harger*, 85.
Erolia ferruginea chinensis (*Gray*), 475.
Eschara spongites, *Pall.* (pars), 16.
Euchaeta norvegica, *Boeck*, distrib., 114,
 122.
Eudypula minor woodwardi, *Mathews*, 468.

- Euidotea, *Collinge**, 69-71, 84.
 — *peronii*, *Collinge**, 84.
 Eumetopias albicollis (*Péron*), 478.
 Eunice antennata (*Sav.*), 488, 495.
 — *australis*, *Quatrefages*, 488, 495.
 — *bassensis*, *Benham*, 495.
 — *Eleyi*, *Baird*, 495.
 — *leucodon*, *Ehlers*, 496.
 — *leuconuchalis*, *Benham*, 495.
 — *Murrayi*, *McInt.*, 495.
 — *pynobranchiata*, *McInt.*, 495.
 — *Siciliensis*, *Grube*, 487-489, 496.
 — *tentaculata*, *Quatrefages*, 488, 495.
 — *valida*, *Gravier*, 496.
 Eurythoë *alcyonia*, *Gravier*, 492.
 — *complanata* (*Pall.*), 488, 492.
 — *levisetis*, *Fauv.*, 492.
 Eusicyonia carinata (*Oliv.*), 345, 350, 368.
 Eusymmerus, *Richardson*, 69-71.
 Euthalenessa djiboutiensis, *Gravier*, 488, 492.
 Evans, A. M., Structure and occur. of Maxillulæ in the Orders of Insects, 429-456.
 Exocætus, *Linn.*, mentd., 508.
 Exogone clavigera, *Claparède*, 219, 232, 234, 236.
 — *fastifera*, *Hasw.**, 218, 222, 227-240.
 — *gemmifera*, *Pagenstecher*, 218, 233, 236.
 — *heterochæta*, *McInt.* (sphalm.), 218, 221.
 — *heterosetosa*, *McInt.*, 221, 239.
 — *naidina*, *Ørsted*, 219, 236.
 — *verrugera*, *Claparède*, 219, 221, 227, 239.
 Exogoneæ, 217-242.
 Expeditions to the Abrolhos Islands (W. J. Dakin), 127-180.
 Fauna of Houtman's Abrolhos Islands (*Alexander*), 457-486.
 Fauvel, P., Annélides Polychètes de l'Archipel Houtman Abrolhos, 487-500.
 Feeding-habits of fish and birds, by J. C. Mottram, 47-60.
 Fenusa melanopoda, *Cam.*, 449, 450.
 Filispara superba, *Jull.*, 4.
 — *tubulosa*, *Busk*, 33.
 Fish, feeding-habits, 47-60.
 Flabellopora elegans, *d'Orb.*, 422.
 Flustrelia hispida, *Gray*, 3, 38, 402.
 Forficula, *Linn.*, 452, 453.
 — *auricularia*, *Linn.*, 433, 434, 439-442.
 Fringillidæ, mentd., 52.
 Frogs, mentd., 159.
 Fucus, *Linn.*, spp., abundance, 256.
 Fungia (*Lam.*), its absence in the Abrolhos Islands noted, 158.
 Fusus, *Lam.*, sp., mentd., footnote 259.
 Gabianus pacificus georgii (*King*), 473, 484.
 Galeichthys thalassinus, *Rüpp.*, 480.
 Galeorhinus antarcticus (*Günth.*), 479.
 Gasterosteus, *Linn.*, mentd., 508.
 Gateuby, J. B., Germ-cells, fertilization and early development of *Grantia* (*Sycon*) *compressa*, 261-297.
 Gelignite, used for capture of fish, 130.
 Gemellipora arbuscula, *Calv.*, 23, 24.
 Geotrupes, *Fabr.*, 443.
 Gephyrea, *Koch*, mentd., 160.
 Gerris thoracica, *Fabr.*, not taken by Trout, 50.
 Gilbert, John, collector, 458.
 Gilchrist, J. D. F., Post-Puerulus stage of *Jasus lalandii* (*Milne Edw.*), *Ortmann*, 189-201.
 Glaucosoma hebraicum, *Rich.*, 481.
 Globigerina, *d'Orb.*, sp., mentd., 153.
 Glottis nebularius glottoides (*Vigors*), 475.
 Glyptidotea, *S'ebbing*, 69-72.
 — *lichtensteini*, *Stebbing*, 77.
 Glyptonotus, *Eights*, 71.
 — *cæcus*, *Miers*, 73.
 — *sabini*, *Miers*, 74.
 — sp., mentd., 70.
 — *tuftsi*, *Miers*, 74.
 Goniistius gibbosus, *Rich.*, 482.
 Gonodactylus brevisquamatus, *Pauls.*, 345, 351, 362-364.
 — *chiragra* (*Fabr.*), 161, 359; mentd., 363.
 — — *var. smithii*, *Pocock*, 351.
 — *demani*, *Henderson*, 345, 351, 359.
 — — *var. spinosus*, *Bigelow*, 345, 351, 361.
 — *umbriatus*, *Lenz*, 345, 362-364.
 — *glaber*, *Brooks*, *em. Henderson*, 351, 362.
 — — *var. rotundus*, *Borradaile*, 362.
 — — *var. ternatensis*, *De Man*, 362.
 — *graphurus*, *Miers*, 346.
 — *pulchellus*, *Miers*, 345, 346, 351, 364.

- Gonodactylus spinosus, *Lenz*, 361, 365.
 Gonorhynchus greyi, *Rich.*, 480.
 Goodrich, E. S., Restorations of the head of *Osteolepis*, 181-188; new type of Teleostean Cartilaginous Pectoral Girdle found in young Clupeids, 505-509.
 Grantia, *Flem.*, 317, 322.
 — compressa (*O. Fab.*), 299, 300-312, 317, 318, 321, 324; germ-cells, fertilization and early development, by J. B. Gatenby, 261-297.
 Grubea clavata, *Quatrefages*, 236, 240.
 — furcelligera, *Aug.*, 218.
 — kerguelensis, *McInt.*, 218, 223, 228, 231, 236, 240.
 — limbata, *Claparède*, 223, 229.
 — quadrioculata, *Aug.*, 218, 223, 228, 231, 236, 239, 240.
 — protandrica, *Aug.*, 235.
 — pusilla, *Dujardin*, 222, 235, 236.
 — pusilloides, *Hasw.**, 222, 228, 234, 240, 241.
 — sp. undet., 231.
 — tenuicirrata, *Claparède*, 223.
 Guano-collecting, method used in the Abrolhos Islands, 138; its effect upon flora, 138.
 Guancha coriacea, (?), 315-317, ftnote 307; mentd., 299.
 — tropus primordialis, 300.
 Guinardia, *Perag.*, distrib., 99, 101.
 — flaccida, *Perag.*, distrib., 108, 124.
 Gulls' nests on Abrolhos Islands, 160; mentd., 476.
 Gymnodactylus miliusii (*Bory*), 460.

 Hæmatopus ostralegus picatus (*King*), 474, 484.
 — niger bernieri (*Mathews*), 474.
 Halichondria panicea, *Johnst.*, 254.
 Haliporus steindachneri, *Balss*, 346.
 Haplarmadillo, *Dollfus*, mentd., 61.
 Harpiliopsis, *Borråd.*, 388.
 — beaupresi, *Borråd.*, 388, 389.
 — depressus, *Borråd.*, 388, 389.
 Harpilius, *Dana*, 388.
 — beaupreii (*Aud.*), 351, 389.
 — consobrinus, *de Man*, 389.
 — depressus (*Stimps.*), 345, 351, 389.
 Harpilius gerlachei, *Nobili*, 345, 351, 388, 389, 390.
 — lutescens, *Dana*, 388, 389.
 Haswell, W. A., The Exogoneæ, 217-242.
 Haswellia alternata, *Calv.*, 4.
 Helicella itala (*Linn.*), 206.
 — sp.?, 204.
 — virgata (*Da C.*), 205.
 Helicigona lapicida (*Linn.*), 205, 207.
 Helicodonta obvolvata (*Müll.*), 205.
 Heliodoma implicata, *Calvet*, 419.
 Helix acuta, *Müll.*, 206.
 — albella, *Linn.*, 204.
 — arbustorum, *Linn.*, 204, 207.
 — aspersa, *Müll.*, 205, 207.
 — auricularia, *Linn.*, 210.
 — balthica, *Linn.*, 211.
 — barbara, *Linn.*, 206.
 — Basteri, *Linn.*, 213.
 — carinula (*Gmel.*), 206.
 — cellaria, *Müll.*, 205.
 — complanatus, *Linn.*, 204, 212.
 — concinna, *Jeffreys*, 207.
 — contecta, *Millet*, 214.
 — contortus, *Linn.*, 212.
 — corneus, *Linn.*, 211.
 — fasciata, *Müll.*, 214.
 — fragilis, *Linn.*, 204.
 — gothica, *Linn.*, 206.
 — grisea, *Linn.*, 205, 207.
 — hispida, *Linn.*, 207.
 — hortensis, *Müll.*, 208.
 — itala, *Linn.*, 206.
 — lapicida, *Linn.*, 206, 207.
 — leucas, *Linn.*, 208.
 — limosa, *Linn.*, 204, 211.
 — lubrica, *Müll.*, 209.
 — nemoralis, *Linn.*, 207, 208.
 — octona, *Linn.*, 209.
 — pisana, *Müll.*, 205, 208.
 — pisana, *Ehrbg.*, 209.
 — planorbis, *Linn.*, 211.
 — pomatia, *Linn.*, 207, 208.
 — pulchella, *Müll.*, 205.
 — putris, *Linn.*, 210.
 — spirorbis, *Linn.*, 204, 212.
 — stagnalis, *Linn.*, 211, 213.
 — stagnorum, *Gmel.*, 213.
 — subcylindrica, *Linn.*, 209.
 — tentaculata, *Linn.*, 211, 213.
 — vivipara, *Linn.*, 211, 213, 214.

- Helix vortex*, Linn., 212.
Helodes, Payk., 442.
Hemerobius, Linn., sp., 441, 442.
Hemimerus hansenii, Sharp, 443, 444.
 — *talpoides*, Hansen, 433.
Hemipodius scintillans, Gould, 458, 463.
 — *varius*, Temm., 463.
Hepialus humuli, Fabr., 447.
Heptagenia, Vayssière, 435.
 — *sulfuraria*, Müll., not taken by Trout, 50, 51; as bird food, 53.
 Herdman, W. A., *Spolia Runiana*.—III. Distrib. of certain Diatoms and Copepoda . . . in the Irish Sea, 95-126.—IV. Notes on the abundance of some marine animals, 247-259.
Hermenia verruculosa, Grube, 491.
 Herrings, their food, 122.
Hesione Ehlersi, Gravier, 493.
 — *pantherina*, Risso, 488, 493.
 — *splendida*, Aug., 493.
Heteractis, Can. & Bassl., 407.
Heterodontus philippi, Bloch & Schneider, 149, 479.
Heteronota bynoei (Gray), 460.
Heteroscarus filamentosus, Cast., 483.
Heteroscelus incanus brevipes (Vieillot), 475.
Heterostegina, d'Orb., absence on Abrolhos Islands, noted, 160.
Hippolyte orientalis, Heller, 383.
 — *proteus*, Pauls., 351, 382.
 — *varians*, Leach, 383.
 — *ventricosus*, M. Edw., 383.
Hippothoa Brongniartii, d'Orb., mentd., ftnote 11.
 — *distans*, MacG., 3, 20.
 — *divaricata*, Lamx., 3, 20.
 — *hyalina*, Waters, 3, 20.
 — *spongives*, Smitt, 16.
Hircinia variabilis, Schulze, mentd., 309, 310, 312.
Hirundo neoxena carteri, Mathews, 465.
 — *rustica*, Linn., its food, 51; mistakes artificial for real insect, 58.
Histriobdella, Ben., mentd., 332.
 Hogben, L. T., Nuclear Phenomena in the Oocytes of the Gall-fly *Neuroterus*, 327-333.
Holoporella, Waters, 404, 407.
 — *aperta*, Waters, 3, 23.
Holoporella pusilla, Waters, 3, 22.
 Holothurians, occur. in Abrolhos Islands, 161.
Hornera brancoensis, Calv., 4.
 — *eburnea*, Calv., 4.
 — *tubulosa*, Busk, 33.
 Houtman's Abrolhos Islands, see Abrolhos Islands.
Hydroprogne tschegrava strenua (Gould), 470.
Hydropysche, Pict., sp., 447.
Hygromia hispida (Linn.), 204, 207.
Hylotoma rosæ, Berlese, 448.
 Hymenoptera Tenthredineæ, maxillulæ in the, 448-451.
Hypoleucus varius hypoleucus, Brandt, its nest, 160.
 — — *perthi*, Mathews, 476.
Hypoplectrodes nigrorubrum, Cuv. & Val., 480.
Hyporhamphus intermedius (Cant.), 480.
Hypotæmidia philippensis (Linn.), 464.
 — — *mellori*, Mathews, 464.
Hypsipops microleptis, Günth., 482.
 Ichthyaria avicularia, Calv., 4.
Idmonea, Lam., mentd., 31.
 — *atlantica*, Forbes, 4.
Idotea, Fabr., 69-72.
 — *affinis*, M. Edw., 81.
 — *baltica* (Pall.), 79, 80.
 — *bicuspidata*, Owen, 88.
 — *bicuspidata*, Streets & Kingsley, 88.
 — *cæca*, Say, 73.
 — *caudacuta*, Haswell, 84.
 — *distincta*, Guér.-Mén., 84.
 — *edwardsii*, Guér.-Mén., 81.
 — *excavata*, Hasw., 81.
 — *festiva*, Chilton, mentd., 70.
 — *granulosa*, Rathke, 79-81.
 — *hirtipes*, Dana, 76.
 — *hirtipes*, M. Edw., 86.
 — *irrorata*, Harger, ftnote 79.
 — *lalandii*, M. Edw., 81.
 — *lichtensteini*, Krauss, 77.
 — *marina* var. *phosphorea*, Miers, 79.
 — *marmorata*, Packard, 88.
 — *media*, Dana, 76.
 — *nitida*, Heller, 81.
 — *nodulosa*, Kröyer, 89.

- Idotea oregonensis*, Dana, 76.
 — *peronii*, M. Edw., 84.
 — *phosphorea*, Harger, 79.
 — *pulchra*, Lockington, 88.
 — *rectilinea*, Lockington, 78.
 — *rescata*, Stimps., 75.
 — *sabini*, Kröyer, 74.
 — *stricta*, Dana, 84.
 — *tuftsii*, Stimps., 74.
 — *ungulata*, Lam., 81.
 — *whitei*, Stimps., 76.
 — *wosnesenskii*, Brandt, 76.
Idoteinea, Collinge*, new group of Valvifera, 71.
Ilybius, Erichs., 452.
 Irish Sea, distrib. of Diatoms and Copepoda in, 95-126.
Isias, Boeck., sp., mentd., 122.
Isolepisma, Silvestri, 432.
 Isopoda, a new genus of, from British Guiana (W. E. Collinge), 61-63; Oral appendages of, by W. E. Collinge, 65-93.
Isotoma palustris, Müll., 433.

Japyx, Hal., 431.
Jassa falcata (Mont.), 370.
Jassa lalandii (Milne Edw.) Ortmann, a Post-Puerulus stage of, by J. D. F. Gilchrist, 189-201.
Julis, Cuv., sp., 485.

 Kangaroo, early description of, 457.
 Kennard, A. S., and B. B. Woodward, Linnean species of Non-Marine Mollusca in the Linnean Collection, 203-215.
 Kent, Saville, his visit to the Abrolhos Islands, 133, 134; incorrect about plutonic rocks in the Abrolhos Islands, 137.
Kionidella, Kosch., 408.
Kyphosus snyderianus, Güntli., 482.

Lacuna, Turt., spp., abundance, 257.
Lagenipora, Hincks, ftnote 402.
Lagoa crispata, De Gryse, 446.
Laminaria, Gray, spp., abundance, 253, 256.

Laminipora contorta, Mich., 23.
 Laridæ, mentd., 52.
Lates calcarifer, Bloch, 481, 485.
Lauderia, Cleve, distrib., 99, 100.
 — *borealis*, Gran, distrib., 101, 106, 124.
Leander concinnus (Dana), 345, 351, 393.
 — *erraticus*, Desm., 393.
 — *longicarpus*, Ortm., 393.
 — *natator*, M. Edw., 346, 393.
 — *natator*, Nobili, 392.
 — *squilla* (Linn.), 392.
 — *tenuicornis*, Say, 346, 351, 392.
Lepidoplois vulpinus (Rich.), 482.
Lepidocampa fimbriatipes, Carpenter, 431.
Lepidonotus acantholepis, Grube, 488-491.
 — *carinulatus*, Grube, 488, 490.
 — *cristatus*, Grube, 488, 489.
 — *oculatus*, Baird, 488, 489.
 — *squamatus* (Linn.), 490.
Lepidoptera, maxillulæ in the, 445-447.
Lepisma, Linn., 452-3.
 — *saccharina*, Linn., 432.
Lepralia brancoensis, Calv., 4.
 — *ciliata*, Barrois, 23.
 — *collaris*, Jull., 22.
 — *crassimarginata*, Hincks, 22.
 — *cucullata*, Busk, 3, 21.
 — *fissa*, Busk, 22.
 — *Magnevilla*, Busk, 21.
 — *peristomata*, Waters, 3, 21.
 — *Poissonii*, Hincks, 4; mentd., ftnote 11.
 — *Watersi*, Cal., 22.
Leptophæthon lepturus dorothere, Mathews, 477.
Leptophlebia marginata, Eaton, not taken by Trout, 50.
Lethrinus opercularis, Cuv. & Val., 481, 485.
Leucandra aspera, O. Schmidt, 299, 316, 317.
Leuciscus cephalus, Flem., its food, 51.
 — *leuciscus*, White, food of, 48, 51.
 — *rutilus*, Flem., its food, 51.
Leucopolis ruficapillus tormenti (Mathews) 474.
Leucosolenia, Bow., 301, 310, 315.
 — *coriacea* (Flem.), mentd., 307.
 — *gardineri*, Dendy, 307, 312.
 — *poterium*, Haeckel, mentd., ftnote 307.
 — *stolonifer*, Dendy ftnote 302.

Leuctra, *Steph.*, 436.
Lialis burtonis, *Gray*, 461.
Lichenopora, *Defr.*, 37, 38.
 — *boletiformis*, *d'Orb.*, 37.
 — *bullata*, *MacG.*, 36.
 — *californica*, *Waters*, 35.
 — *conjuncta*, *Mich.*, 37.
 — *cumulata*, *Mich.*, 37.
 — *echinata*, *MacG.*, 35.
 — *formosa*, *d'Orb.*, 36.
 — *Francquana*, *d'Orb.*, 36.
 — *gregaria*, *d'Orb.*, 37.
 — *hispida*, *Flem.*, 36.
 — *Holdsworthii*, *Busk*, 34, 35, 36.
 — *irregularis*, *Norm.*, 3, 33, 36, 37, 38.
 — — *var. composita*, *Waters**, 3, 34, 38.
 — *magnifica*, *MacG.*, 36.
 — *meandrina*, *Peach*, 36, 37.
 — *micropora*, *Reuss*, 37.
 — *multistellata*, *d'Orb.*, 37.
 — *neapolitana*, *Waters** (nom. tent.), 36.
 — *novæ-zelandiæ*, *Busk* (sp. dub.), 34, 35, 36.
 — *pristis*, *MacG.*, 36, 37.
 — *pustulosa*, *Waters*, 36.
 — *radiata*, *Hincks*, 35.
 — *sp.*, mentd., 2.
 — *suecica* (*Hemig*), 37.
 — *turbinata*, *Defr.*, 37.
 — *verrucaria*, *Fabr.*, 37.
 — *victoriensis*, *Waters*, 35, 36.
Limax agrestis, *Linn.*, 206.
 — *albus*, *Linn.*, mentd., 203.
 — *ater*, *Linn.*, 206.
 — — *var. rufus*, *Linn.*, 206.
 — — *var. albus*, *Müll.*, 206.
 — *flavus*, *Linn.*, 206.
 — *maximus*, *Linn.*, 206.
 Limestone in the Abrolhos Islands, 137, 154.
Limnæa auricularia (*Linn.*), 210.
 — *glabra* (*Müll.*), 209.
 — *palustris* (*Müll.*), 205.
 — *pereger* (*Müll.*), 210, 211.
 — *stagnalis* (*Linn.*), 211.
 — *truncatula* (*Müll.*), 211.
 Linnean Collections, Non-Marine Mollusca in (Kennard & Woodward), 203-215.
Liophilus planissimus (*Herbst*), occur. in Abrolhos Islands, 161.

Lithodomus, *Cuv.*, 160.
Littorina, *Fér.*, spp., abundance, 255, 257.
 Lizards, mentd., 133, 170, 174, 477.
Lunularia, *Busk*, 417.
Lunulites, *Lam.*, 401-408, 418.
 — *angulopora*, *Woods*, 422.
 — *Beisseli*, *Marss.*, 403.
 — *canariensis*, *Manzoni*, 411.
 — *canariensis*, *Busk*, 400.
 — *cancelata*, *Busk* (pars), 419.
 — *conica*, *Busk*, 418.
 — *cupulus*, *Busk*, 403, 417.
 — *gibbosa*, *Busk*, 403, 417.
 — *goldfussi*, *Hag.*, 402, 403.
 — *Hagenowi*, *Bosc*, 403.
 — *Haidingeri*, *Reuss*, 414.
 — *incisa*, *Hincks*, 422.
 — *lævigata*, *Canu*, 402.
 — *mitra*, *Marss.*, 403.
 — *patelliformis*, *Mapl.*, 403, 417.
 — *patelliformis*, *Marss.*, 417.
 — *philippinensis*, *Busk*, 420.
 — *radiata*, *Lamx.*, 418.
 — *repandus*, *Mapl.*, 417.
 — *salebros*, *Marss.*, 403.
 — *sella*, *Marss.*, 402, 403.
 — *semilunaris*, *Marss.*, 417.
 — *transiens*, *Gregory*, 403.
 — *umbellata*, *Defr.*, 414.
 — *urceolata*, *Cuv.*, 410.
 — *urceolata*, *Blainv.*, 414.
 — *urceolata*, *Lamk.*, 410.
Lutianus chrysolæna, *Bleek.*, 481, 485, 486.
 — *johni*, (?), 486.
Lycodontis woodwardi (*McCulloch*), 480.
Lygosoma lesueuri, *Dum. & Bibr.*, 461.
 — *præpeditum*, *Blng.*, 462.
 — *quadrilineatum* (*Dum. & Bibr.*), 462.
 — *richardsoni* (*Gray*), 462, 468.
 — *sp.*, 462, 466.
Lymnodynastes dorsalis (*Gray*), 462.
Lysidice collaris, *Grube*, 488, 496.
 — *fallax*, *Ehlers*, 496.
 — *Ninetta*, *Aud. & Edw.*, mentd., 496.
Lysiosquilla multifasciata, *Wood-Mason*, 351, 359.
Lysmata trisetacea, *Heller*, 346.

Machilis, *Latr.*, 429, 432, 452, 455.
 Mackerel, its food, 122.

- Macrochiridothea, *Ohlin*, 69-71.
 Macronectes giganteus albus (*Potts*), 469.
 Macropus eugenii, *Desm.*, 159, 467; Pel-
 sart's description of, 132.
 — — houtmanni (*Gould*), 459.
 Macrura, occur. in the Abrolhos Islands,
 170.
 Macrurans, occur. in Abrolhos Islands, 161.
 Macrurous Decapoda, Red Sea, 365-398.
 Madrepora corymbosa, *P. Forsk.*, 154, 161.
 — sp., 158, 161.
 Mallophaga, maxillulæ in the, 437.
 Mamestra persicariæ (*Linn.*), 446.
 Mamillopora, *Smitt*, 408.
 — bidentata, *Reuss*, 401.
 — cupula, *Smitt*, 404.
 — Edwardsi, *Jull.*, 4.
 — simplex, *Kosch.*, 4, 404.
 — *Smittii*, *Calv.*, 4.
 Mangroves, occur. on Abrolhos Islands,
 135, 166, 170, 174.
 Marcgravia diemensis (err.), 485.
 Margaritana margaritifera, *Linn.*, 215;
 mentd., 372, 376.
 Marine animals, Notes on the abundance
 of (Spolia Rumiana IV.), by W. A.
 Herdman, 247-259.
 Maxillulæ of Insects, Structure and occur.,
 by A. M. Evans, 429-456.
 Meandrina, *Lam.*, sp., 158.
 Megalichthys, *Agass.*, mentd., 187.
 Megalopterus tenuirostris melanops (*Gould*),
 472, 484.
 — — tenuirostris (*Temm. & Lag.*), 484.
 Megaptera longimana, *Rud.*, 478.
Melanopus femoratus, *Scudd.*, 434.
 Melanosterna anæthetus novæ-hollandiæ
 (*Stephens*), 471.
 Meleagrina, *Linn.*, mentd., 392.
 Meliceritites, *Roem.*, 16.
 — sp., mentd., 15.
 Melobesia, *Lam.*, mentd., 18.
 Membranipora bellula, *Hincks*, 4.
 — canariensis, *Smitt*, 411.
 — cervicornis, *Busk*, 4.
 — crassimarginata, *Hincks*, 9.
 — curvirostris, *Hincks*, 3, 9.
 — Dumerilii, *Aud.*, 402.
 — (?) filum, *Jull.*, 4.
 — *Flemingii*, *Waters*, 9.
 — granulifera, *Hincks*, 4.
 Membranipora lineata (*Linn.*), 402.
 — nitida, *Johnst.*, 402.
 — patellaria, *Moll.*, 4, 18.
 — pilosa (*Linn.*), 402.
 — quadricornuta, *Waters**, 3, 9.
 — tenuirostris, *Hincks*, 3, 9, 402.
 Membraniporella, *Smitt*, 11.
 — lineata, *Hincks*, 10.
 — nitida, *Smitt*, 10-12.
 Mesembryanthemum, *Linn.*, sp., occur. on
 the Abrolhos Islands, 165.
 Mesidotea, *Richardson*, 69-72.
 — sabini, *Richardson*, 74.
 Mesopriop Johni, *Renard*, 486.
Metapenæus curvirostris, *Nobili*, 367.
 — *stebbingi*, *Nobili*, 365.
 — *vallanti*, *Nobili*, 366.
 Microcalanus pusillus, *Sars*, distrib., 98.
 Microcanthus strigatus (*Cuv. & Val.*),
 482.
 Micropora, *Gray*, 408; mentd., 6, 16.
 Microporella ciliata, *Harmer*, 3, 23, 402.
 — coronata, *Aud.*, 403.
 — diadema, *MacG.*, 402.
 — impressus, *Aud.*, 402.
 — Malusii, *Aud.*, 402.
 — *violacea*, *Johnst.*, 4.
 Microscopical preparations, new method
 described, 67-68.
Miliolina, *Ehr.*, sp., 153.
 Mimicry in fish and birds, 47-60.
 Minca, *Pearse*, mentd., 61, 63.
 Minnows, food of Trout, 48.
Mollia hyalina, *Barrois*, 20.
 Mollusca, Linnean species of Non-Marine,
 in the Linnean Coll., by A. S.
 Kennard & B. B. Woodward, 203-
 215.
 Monacanthus chinensis, *Bloch*, 483.
 — megalourus, *Rich.*, 483.
 Montipora, *Quoy & Gaim.*, sp., 168.
 Motacilla boarula, *Linn.*, its food, 52; mis-
 takes artificial for real insect, 58.
 — lugubris, *Linn.*, its food, 52.
 — rayi, *Bonap.*, its food, 52; mistakes
 artificial for real insect, 58.
 Mottram, J. C., Feeding-habits of fish and
 birds, with special reference to warning
 coloration and mimicry, 47-60.
 Müller, O. F., his work on Mollusca referred
 to, 203.

- Multitubigera gregaria*, d'Orb., 37.
 — *micropora*, Reuss, 37.
Muræna nubila, Rich., mentd., 480.
Musca domestica, Linn., focd of Wagtails,
 53.
Muscicapa grisola, Linn., mentd., 52;
 feeding-habits, 57.
 Mutton-birds, presence on the Abrolhos
 Islands, 138, 155, 160, 174, 458, 477.
Mya lutraria, nom. Linn. 204.
 — *margaritifera*, Linn., 204, 215.
 — *pictorum*, Linn., 214.
 — *tumidus*, Linn., 214.
Mycetophila, Meig., 451.
Myobatrachus gouldi (Gray), 462.
Myriozoum strangulatum, Calv., 4.
Myrmecophila, Latr., 434.
Mytilus anatina, Linn., 215.
 — *cygnea*, Linn., 215.
 — *edulis*, Linn., abundance, 252-254.
Myxomycetes, mentd., ftnote 322.
- Nautilus crista*, Linn., 212.
Nealbatrus chlororhynchus carteri (Roth-
 schild), 470.
Neatypus obliquus, Waite, 481.
Nebria brevicollis, Fabr., 443, 444.
Nematus Erichsonii, Hart., 449.
Nemura, Latr., 436, 453.
 — sp., 437.
Neosebastes panda (Rich.), 483.
Nereis denhamensis, Aug., 488, 494.
 — *pelagica*, Linn., mentd., 494.
Nerita fluviatilis, Linn., 214.
 — *lacustris*, Linn., 204, 214.
 — *littoralis*, Linn., 204.
Neuroptera, maxillulæ in the, 439-442.
Neuroterus, Hart., nuclear phenomena in
 the oocytes, 327-333.
 — *lenticularis*, Oliv., 327, 329.
 — *numismatis*, Oliv., 328, 329.
Nikoides danæ, Pauls., 394.
 — *maldivensis*, Borrard., 394.
 — spp., 345, 351, 394.
Nitzschia delicatissima, Cleve, distrib., 99.
Notodoris citrina, Bergh, mentd., 161.
 — sp., occur. in Abrolhos Islands, 161.
Notopygos hispidus, Potts, 488.
 — — *var. serratus*, Fauv., 493.
 — *labiatus*, M'Int., mentd., 493.
- Notopygos labiatus* (?), Benham, 493.
 Nuclear phenomena in the oocytes of
Neuroterus, by L. T. Hogben, 327-
 333.
Nudibranch, occur. of a new, in the
 Abrolhos Islands, 170.
Numenius cyanopus, Vieillot, 474.
Nyctiphanes norvegica (M. Sars), distrib.,
 114.
- Odax richardsoni*, Günth., 482.
Oithona helgolandica, Claus, distrib., 98,
 110-112, 118, 124.
 — *similis*, Ald. & Hanc., 98, 118.
Oliothops cyanomelas, Rich., 482.
Oniscus unguatus, Pall., 81.
Onychocella angulosa, Reuss, 4, 417.
Onychopron fuscata serrata (Wagler), 471,
 484.
Ophthalmolepis lineolatus, Cuv. & Val.,
 482.
 Oral appendages of Isopoda, by W. E.
 Collinge, 65-93.
Orbitoides stellatus, Gümbl., 401.
Orbitolites, Lam., sp., mentd., 153.
Orbitulipora petiolus, Lonsd., 404.
Orthophragma stellata, Gümbl., 401.
Orthoptera, maxillulæ in the, 434-435.
Ortygodes varius, Gould?, 467.
 — — *scintillans*, Gould, 462.
 — — *stirlingi*, Mathews, 463.
 — — *varius*, Mathews, 463.
Oscarella, Vosmaer, 310, 322.
Oscillatoria, Vauch., 322.
 Ospreys, 174.
Osteolepis, Val., Restorations of the head
 of, by E. S. Goodrich, 181-188.
 — *macrolepidotus*, Ag., 181-186.
Osthimosia avicularis, Waters, 3, 19.
Otaria albicollis, Péron, 478.
 — *australis*, Quoy & Gaim., 478.
Otionella, Can. & Bassl., 407.
Otiorhynchus, Germ., 453.
 — *sulcatus*, Fabr., 445.
- Pachymatisma johnstoni*, Bowerb., 254.
Pædophylax claviger, Hasw., 229.
 — — *verrugera*, Claparède, 219.
 — — *veruger*, Claparède, 219.

- Pagrosomus auratus, *Forst.*, 481.
 Pagrus major, *Temm.*, 485.
 Pagurid, sp., 175.
 Palæmon *petithouarsii*, *Aud.*, 385.
 — *torensis*, *Pauls.*, 393.
 Palæmonella *gracilis*, *Pauls.*, 393.
 — *tenuipes*, *Dana*, 351, 383.
 — *tridentata*, *Borråd.*, 384.
 Palm trees, absence on Abrolhos Islands noted; 135.
 Paludestrina stagnalis, *v' Orb.*, 213.
 Paludina minuta, *Totten*, 213.
 — sp., 209.
 Pamphilus dentatus, *MacGill.*, 448.
 Pandion haliaëtus cristatus (*Vieillot*), 477.
 Panulirus penicillatus (*Oliv.*), 174.
 Parabetæus culliereti, *Coul.*, 346.
 Paracalanus parvus (*Claus*), distrib., 98, 110, 112, 118, 124.
 Paracubaris, *W. E. Collinge* *, 61.
 — *spinosus*, *W. E. Collinge* *, 62.
 Parapandalus adensameri, *Balss*, 346.
 — *pristis* (*Risso*), 346.
 Parapenæus fissurus (*Sp. Bate*), 346.
 Paraplesiops meleagris, *Peters*, 481.
 Paratypton siebenrocki, *Balss*, 346.
 Paridotea, *Stebbing*, 69-72; mentd., 78.
 — *fucicola*, *Barnard*, 83.
 — *peronii*, *Stebbing*, 84.
 — *reticulata*, *Barnard*, 83.
 — *rubra*, *Barnard*, 83.
 — *ungulata*, *Stebbing*, 81.
 — — *var. atrovirens*, *Collinge* *, 82.
Paschocaris paschalis, *Nobili*, 382.
 Patella compressa, *Linn.*, 210.
 — *lacustris*, *Linn.*, 205, 210.
 — *lutea*, *Linn.*, 210.
 — *pellucida*, *Linn.*, 210.
 — *vulgata*, *Linn.*, abundance, 255.
 Pedicellina australis, *Jull.*, 42.
 — *cernua*, *Smitt*, 3, 43.
Pelagia, *Lam.*, 37.
 — *clypeata*, *Lamx.*, 37, 38.
 Pelagodroma marina dulciæ, *Mathews*, 468, 484.
 Pelsart, Francis (1629), and the Fauna of the Abrolhos Isl., 457; his disastrous voyage to the Abrolhos Island, 131-132.
 Penæopsis stebbingi (*Nobili*), 345, 350, 365.
 Penæopsis stridulans (*Wood-Mason*), 345, 350, 366.
 — *vaillanti* (*Nobili*), 345, 350, 366.
 — *velutinus*, *Dana*, 346, 366.
 Penæus *ashiaka*, *Kishinouye*, 367.
 — *carinatus*, *Dana*, mentd., 367.
 — *japonicus*, *Sp. Bate*, 350, 367.
 — *semisulcatus*, *De Haan*, 350, 367.
 Peneroplis, *Montif.*, sp., mentd., 153.
 Pentapus vitta, *Cuv. & Val.*, 481.
 Pentias, *Richardson*, 69-71.
 Pentidotea, *Richardson*, 69-72; mentd., 78.
 — *resecata*, *Richardson*, 75.
 — *whitei*, *Richardson*, 76.
 — *wosnesenskii*, *Richardson*, 76.
 Periclimenes borradalei, *Rathbun*, 387.
 — *calmani*, *Tattersall* *, 345, 351, 385.
 — *demani*, *Kemp*, 386.
 — *ensifrons*, *Dana*, 386.
 — *kolumadulensis*, *Borråd.*, 387.
 — *petithouarsii* (*Aud.*), 351, 385.
 — *potina*, *Nobili*, 388.
 — *seychellensis*, *Borråd.*, 386.
 — *spiniferus*, *De Man*, 386.
 — spp., 345, 351, 386-388.
 — *tenuipes*, *Borråd.*, 387.
 Perla, *Geoffr.*, 436.
 Perlodes, *Banks*, 436, 453.
 — *dispar*, (?), 436.
 Peropus variegatus (*Dum. & Bibr.*), 461.
 Petrel, Sooty, mentd., 458; —, Giant, 484.
 Petrobius oudemansi, *Carpenter*, 430.
 Phæopus phæopus variegatus (*Scopoli*), 474.
 Phalacrocera, *Schin.*, 451.
Phaps chalcoptera, *Lath.*, 464.
 Philosamia cynthia, (?), 446.
 Phryganea, *Linn.*, 447.
 Phylloclactylus bilineatus, *Gray*, 460.
 — *marmoratus* (*Gray*), 460.
 — *ocellatus* (*Gray*), 460.
 Phyllopertha, *Kirby*, 443.
 Physa fontinalis (*Linn.*), 213.
 — *hypnorum* (*Linn.*), 213.
 Physalia, *Tl.*, sp., 170.
 Pieris brassicæ, *Linn.*, 446.
 Pigeon, Bronze-winged, mentd., 458.
 Pinna, *Linn.*, sp., mentd., 9.
 Pisobia minuta ruficollis (*Pall.*), 475.
 Plaice, abundance, 248; its food, 122.
 Planorbis albus, *Müll.*, 205.

- Planorbis carinatus, Müll., 205.
 — complanatus (Linn.), 212, 213.
 — contortus (Linn.), 212.
 — corneus (Gmel.), 211.
 — crista (Linn.), 212.
 — leucostoma, Millet, 212.
 — planorbis, Linn., 205, 211.
 — spirorbis (Linn.), 212.
 — umbilicatus, Müll., 205, 211.
 — vortex (Linn.), 212.
 Planorbulina, d'Orb., sp., mentd., 153.
 Platax orbicularis (Forsk.), 486.
 — teira (Forsk.), 486.
 Platycephalus bassensis, Cuv. & Val., 483.
 Platynereis Dumérilii, Aud. & M. Edw.,
 488, 489, 494.
 — insolita, Gravier, 494.
 Plecoptera filipalpia, Klap., 436.
 — setipalpia, Klap., 436.
 Plutonic rocks, non-occurrence in the
 Abrolhos Islands, 137, 154.
 Pocillopora, Lam., sp., 158, 168.
 Podiceps fluviatilis, Degl. & Gerbe, mis-
 takes artificial for real insect, 58.
 Polita cillaria (Müll.), 204.
 — Draparnaldi (Beck), 204.
 — radiatula, Alder, 204.
 Polyides rotundus, Grev., 40.
 Polyopthalmus pictus, Dujardin, 488,
 489, 497.
 Polypterus, Geoffr., mentd., 181, 186.
 Polystomella, Lam., sp., mentd., 153.
 Pomatias elegans (Müll.), 205, 214.
 Pontonia pinnae, Ortman, sp. dub., 391.
 Porella lævis var. subcompressa, Busk, 4.
 Porina borealis, Busk, 4.
 Porpita, Lam., sp., 161.
 Porzanoiidea plumbea, Mathews, 467.
 — — roberti, Mathews, 464.
 Potamogeton, Tourn., sp., mentd., 47.
 Pratiia, d'Archiac, 408.
 Proboscina, Aud., 32.
 — Boryi, Aud., 32.
 — incrassata, Smitt, 32.
 — Lamourouviü, Aud., 31.
 Proidotea, Rac. & Sev., 70, 71.
 Protospongia, Kent, 322.
 Protula bispiralis (Sav.), 488, 489, 498.
 Pseudanodonta grateloupiana (Gassies),
 215.
 — normandi (Dupuy), 215.
 Pseudarmadillo, Saussure, mentd., 61.
 Pseudocalanus elongatus (Boeckl), distrib.,
 98, 110, 112, 117.
 Pseudolabrus parilus (Rich.), 482.
 Pseudonereis anomala, Gravier, 488, 494.
 — masalacensis, Grube, mentd., 494.
 Pseudoscarus gymnognathus, Bleek., 483.
 — sp., 485.
 Pseudosquilla ciliata (Fabr.), 351, 357.
 — megalophthalma, Bigelow, 351, 357.
 Psocidæ, maxillulæ in the, 437.
 Ptencedus mathewsi mathewsi (Iredale),
 465.
 Pterocaris typica, Heller, 346.
 Pterostichus, Bon., 443, 444.
 Ptychodera flava, Eschscholtz, 175.
 — pelsarti, Dakin*, 175.
 Ptychoptera, Meig., 451.
 Puellina, Jull., 10.
 Puerulus, Ortm., 199.
 Puffinus assimilis tunneyi, Mathews, 468,
 484.
 Pulvinulina, Carp., sp., mentd., 153.
 Pupilla muscorum (Linn.), 204, 209.
 Purpura lapillus, Linn., abundance, 255.
 Pyramidula rotundata (Müll.), 206.
 — ruderata (Studer), 205, 206.
 Python spilotes (Lacép.), occur. on the
 Abrolhos Islands, 159.
 — — variegatus (Gray), 460.
 Rabbits, 460.
 Radiopora conjuncta, Mich., 37.
 — cumulata, Mich., 37.
 — formosa, d'Orb., 37.
 — Francquana, d'Orb., 34, 36.
 — irregularis, J. Yates Johns., 33.
 — multistellata, d'Orb., 37.
 — pustulosa, d'Orb., 36.
 Raphidia, Linn., 453.
 — sp., 439, 441.
 Rat, its occur. on the Abrolhos Islands,
 138, 159.
 Rattus fuscipes, Waterhouse, 460.
 — norvegicus, Erv., 460.
 — rattus (Linn.), 460.
 Reniera, Gir., 321; mentd., ftnote 324.
 — simulans, (P), 320.
 Retepora Imperati, Busk, 4, 22.
 — ramulosa, Calv., 4.

- Rhamphostomella*, Waters, 18.
Rhinobatus banksii, Müller & Henle, 479.
 Rhizocephalan parasite, mentd., 395.
Rhizodopsis, Young, mentd., 187.
Rhizosolenia, Ehr., distrib., 99-101.
 — *alata*, Brightw., distrib., 107, 124.
 — *semispina*, Hensen, distrib., 101, 107, 124.
 — *setigera*, Brightw., distrib., 101, 107, 124.
 — *Shrubsolei*, Cleve, distrib., 101, 107, 124.
 — spp., distrib., 101.
 — *Stolterfothi*, Perag., distrib., 107, 124.
Rhodites, Hart., mentd., 327, 329, 332.
Rhyacophila, Pict., sp., 447.
Rhynchelaps bertholdi, Jan, 460.
- Sabellaria alveolata* (Linn.), abundance, 249-250.
Salmo, Linn., mentd., 508.
 — *fario*, Linn., feeding-habits, 47-57.
Salvatoria kerguelensis, McInt., 223.
Sagartia miniata, Gosse, 254.
Saron neglectus, De Man, 346, 351, 382.
Sauropatis sancta westralasiana (Campbell), 465.
Scæophæthon rubricauda westralis, Mathews, 476, 484.
Scatophaga stercoraria, Latr., food of Wag-tails, 53.
Schizoporella argentea, Hincks, 18.
 — *Cecilii*, Robertson, 20.
 — *contorta*, Calv., 23.
 — *cucullata*, Jull. & Calv., 21.
 — *divisopora*, Waters, 19.
 — *fissa*, Hincks, 22.
 — *hyalina*, Lev., 20.
 — *nivea*, Busk, 16.
 — *oligopus*, Robertson, 3, 18.
 — *porrelliformis*, Waters*, 15.
 — *pulchra*, Neviani, 19.
 — *sanguinea*, Norm., 17.
 — spp., mentd., 2.
 — *spongites*, Smitt, 3, 15, 16.
 — *spongites*, Thornely, 16.
 — *trichotoma*, Waters*, 3, 19.
 — *unicornis*, Pergens, 3, 14, 16, 17, 402.
 — *viridis*, Thornely, 15.
Schizotheca fissa, Hincks, 3, 22.
- Schizotheca* (?) *Talismani*, Calv., 4.
Scolopsis bimaculatus, Rüpp., 481, 485.
Scorpana sumptuosa, Cust., 483.
Scrupocellaria Bertholetti, Hincks, 3, 5, 43.
 — *cervicornis*, Busk, 7.
 — *cornigera*, Smitt, mentd., 7.
 — *Macandrei*, Busk, 3, 6.
 — *pusilla*, Smitt, mentd., 7.
 — *reptans* var. *Bertholetii*, Waters, 5.
 — *tridentata*, Waters*, 3, 7.
 Sea-birds, great number of species on Abrolhos Islands, 133, 138.
 Seal, 485.
Segmentina, Flem., 212.
 — *lacustris*, Lightfoot, 212.
 — *nitida* (Müll.), 205, 213.
Selandria sixii, Voll., 449, 450.
Selenaria, Leach, 401-407.
 — *concinna*, Busk, 402, 404.
 — *concinna*, T. Woods, 415.
 — *fenestrata*, Hasw., 416.
 — *maculata*, Busk, 402, 413, 417.
 — *magnipunctata*, Mapl., 416.
 — *nitida*, Mapl., 407, 418.
 — *petaloides*, d'Orb., 402.
 — *punctata*, T. Woods, 416.
Selenariadæ, 399.
Selenariopsis, Maplestone, 409.
Septifer bilocularis, Linn., 154.
Serialaria lendigera (Linn.), 41.
 — *semiconvoluta*, Lamx. (sp. dub.), 41.
Sericornis maculatus fuscipes, W. B. Alexander*, 465.
 — — *warreni*, Mathews, 465.
 — *balstoni*, Grant, 465, 466.
Seriola gigas, Günth., 485.
Serpula bispinalis, Sav., 498.
Setosellina Roulei, Calv., 4.
Sherbornina, F. Chapman*, 501.
 — *atkinsoni*, F. Chapman*, 502.
Sialis, Latr., 453.
 — *lutuaria* (Linn.), 440, 442, 450.
Sicyonia sculpta, H. M.-Edw., 368.
Sillago bassensis, Cuv. & Val., 481.
 — *ciliata*, Cuv. & Val., 485.
Silubosaurus stokesii, J. E. Gray, 458.
Simulium, Latr., 451; food of fishes, 47, 48, 50.
 — sp., food of Trout, 57.
Skeletonema costatum (Grev.), distrib., 99.

- Smittina cervicornis*, *Pallas*, 4.
 — *jacobensis*, *Busk*, 4.
 — *trispinosa* var. *protecta*, *Thomps.*, 3, 21.
 — *tropica*, *Waters*, 3, 21.
 Snails, food of Trout, 48.
Sotalia gadamu (*Owen*), 478.
Sparus sarba, *Forsk.*, 481.
Sphærium corneum (*Linn.*), 215.
Sphæroniscus, *Gerstaecker*, mentd., 61.
Sphæropora, *Hasw.*, 408.
 — *fossa*, *Hasw.*, 409.
Sphærosyllis antarcticus, *Gravier*, 226.
 — *hirsuta*, *Ehlers*, 218, 226.
 — *hystrix*, *Claparède*, 223, 224, 227, 231, 235, 236, 240.
 — *kerquelenensis*, *McInt.*, 226.
 — *Macintoshi*, *Ehlers*, 223.
 — *perspicax*, *Ehl.*, 218, 226.
 — *pirifera*, *Claparède*, 224.
Spheroides pleurogramma, *Regan*, 484.
Sphyræna obtusata, *Cuv. & Val.*, 480.
Spirogyra, *Link*, sp., mentd., 47.
Spolia Runiana.—III. Distrib. of certain Diatoms and Copepoda in the Irish Sea, by W. A. Herdman, 95-126; IV. Notes on the abundance of some common marine animals, by W. A. Herdman, 247-259.
Spongelia, *Nardo*, 321, 322.
 Sponges, occur. in Abrolhos Islands, 161, 162; Notes on their physiology (*Bidder*), 315-326; their origin, 322-324; mentd., 219, ftnote 259, 395.
Spongilla, *Lam.*, 317, ftnote 321; fertilization, 263, 279.
 — *fluviatilis* (*Pall.*), fertilization, 286.
 — sp., 268.
Squatarola squatarola hypomelas (*Pall.*), 474.
Squilla massavensis, *Koss.*, 351, 356.
 Starfish, abundance, 248.
Steganoporella, *Hincks*, mentd., 6.
 — *Rozieri* var. *indica*, *Hincks*, mentd., 13, 14.
 — — *var. falcifera*, *Hincks*, 13.
 — — *var. labiata*, *Lev.*, 13, 14.
Stelletta collingsi, *Schmidt*, 254.
Stenopus spinosus (*Risso*), 346.
Sterna dougalli gracilis (*Gould*), 470, 484.
 — sp., mistakes artificial for real insect, 58.
Sternula albifrons tormenti (*Mathews*), 471.
Sternula nereis, *Gould*, 471.
 — — *horni* (*Mathews*), 471, 484.
Stichopora, *Hagenow*, 408.
Stichoporina, *Stol.*, 408.
 Stomatopoda and Macrurous Decapoda coll. in the Sudanese Red Sea (*Tattersall*), 345-398.
Stomatopora, *Goldf.*, 32.
 — *granulata*, *M. Edw.*, 4.
 — *incrassata*, *Hincks*, 33.
Sturnus vulgaris, *Naum.*, mentd., 52.
Styela grossularia, *Van Bened.*, abundance, 254-6.
Stylasterina, mentd., 4.
Stylotella, *Lendenf.*, mentd., ftnote 316.
Succinea pfeifferi, *Rossm.*, 205, 210.
 — *putris* (*Linn.*), 210, 211.
 Swan, Black, 484.
Sycandra, *Hück.*, 321.
 — *raphanus*, *O. Schmidt*, fertilization, 263, 277, 284, 286.
Sycon, *Risso*, 301, 317, 322.
 — *ciliatum*, *Fabr.*, 306; fertilization, 262, 265, 277, 284.
 — *compressum*, *Dendy*, 261.
 — *raphanus*, *O. Schmidt*, 310, 317, 318, 322, 324; fertilization in, 302-304.
 — — *tropus* *aquariensis*, mentd., 299.
Sylviidæ, mentd., 52.
Symmius, *Richardson*, 71, 72.
 — *caudatus*, *Richardson*, 73.
Synalpheus bispinosus, *De Man*, mentd., 377.
 — *biungiculatus*, *Stimps.*, 350, 375, 377.
 — *fossor* (*Pauls.*), 350, 374.
 — — *var. propinqua*, *De Man*, 374.
 — *gravieri*, *Cout.*, 350, 373.
 — *heroni*, *Cout.*, 346, 350, 374.
 — *hululensis*, *Cout.*, 345, 350, 374.
 — *pachymeris*, *Cout.*, mentd., 376.
 — *quadridens*, *De Man*, mentd., 378.
 — *quadrispinosus*, *De Man*, mentd., 378.
 — *quinquidens*, *Tattersall**, 345, 350, 376.
 — *savignyi* (*Guér.*), 345, 346, 350, 375.
 — *septemspinus*, *De Man*, mentd., 378.
 — *streptodactylus*, *Cout.*, 345, 350, 373.
 — *triacanthus*, *De Man*, mentd., 377.
 — *tricuspidatus*, *Heller*, mentd., 375.
 — *trispinosus*, *De Man*, mentd., 378.
 — *triungiculatus* (*Pauls.*), 350, 374.
 — *tumidomanus*, *Cout.*, 374.

- Synanceja horrida*, *Linn.*, 483, 485.
Synapta, *Eschsch.*, sp., 162.
Syncrypta, *Ehr.*, 322, 325.
— spongiarum, *Bidder**, 305-313.
— volvox, 306, 313.
Synidotea, *Harger*, 69-72, 85-89; key to species, 85.
— angulata, *Benedict*, 87.
— bicuspada, *G. O. Sars*, 88.
— hirtipes, *Benedict*, 86.
— lævis, *Benedict*, 89.
— marmorata, *Benedict*, 88.
— nebulosa, *Benedict*, 87.
— nodulosa, *Harger*, 89.
— pallida, *Benedict*, 87.
Synisoma, *Collinge*, 69-71.

Tadpole, not taken by Trout, 51, cf. 53.
Tanytus, *Meig.*, 451.
Tattersall, W. M., Stomatopoda and Macro-
rous Decapoda coll. by Mr. Cyril
Crossland in the Sudanese Red Sea,
345-398.
Telephorus lituratus, *Fall.*, 443.
Tellina corneum, *Linn.*, 215.
Temora longicornis, *G. Sars*, distrib., 98,
110, 112, 120-125.
Tenebrio mollitor, *Linn.*, 445.
Tephreops tephreops (*Rich.*), 482.
Terns, 174; mentd., 476, 477; enormous
numbers on the Abrolhos Islands, 138,
160, 166, 169; —, Roseate, mentd., 469.
Thalamita ? *stimpsoni*, A. M. Edw., 148.
Thalamoporella Jervoisi, *Hincks*, 14.
— mamillaris, *Lanx.*, 14.
— Rozieri, *Hincks*, 3, 13.
— novæ-hollandiæ, *Lev.*, 13.
Thalasseus bergii (*Lichtenstein*), 470.
— — gwendolenæ, *Mathews*, 470.
— — pelecánoides (*King*), 470.
Thalassiosira, *Cleve*, distrib., 99, 101.
— gravida, *Cleve*, distrib., 106, 124.
— Nordenskiöldi, *Cleve*, distrib., 106, 124.
Thalassoma aeneitense, *Günth.*, 482, 485.
— lunare, *Linn.*, 482, 485.
Thalenessa djiboutiensis, *Fauv.*, 492.
— oculata, *McInt.*, mentd., 492.
Theba leucas, *Beck*, 209.
Theodoxus fluviatilis, *Montf.*, 214.
— lacustris, *Montf.*, 214.
Therapon humeralis, *Ogilby*, 480.
Thor paschalis (*Heller*), 351, 382.
Thormora argus var., *Hasw.*, 489.
Threpterus maculosus, *Rich.*, 482.
Thursius, *Trag.*, mentd., 187.
Thyellodroma pacifica chlororhyncha (*Les-
son*), 468.
Thymallus vulgaris, *Nilss.*, its food, 51.
Tineina, as food of Trout, 47.
Tipula, *Linn.*, 451.
Trachichthodes affinis (*Günth.*), 480.
Trachurus declivis, *Jenyns*, 481.
Trachypneus anchoralis (*Sp. Bate*), 350,
367.
— curvirostris, *Stimps.*, 367.
Trachysaurus rugosus, *Gray*, 461.
Trichogramma, *Westw.*, mentd., 332.
Trichoptera, Maxillulæ in the, 447-448.
Trichopterous larvæ, food of Trout, 47.
Tridacna, *Da Costa*, mentd., 392.
Trochopora, *d'Orb.*, 407, 418-419.
Trochus, *Linn.*, spp., abundance, 257.
Trout, Brook, feeding-habits, 47-57.
Truncatella Montaguï, *Lowc*, 209.
— truncata, *Mont.*, 209.
Tryphœna pronuba, *Hübner*, food of Spar-
rows, 53.
Trypostega venusta, *Norman*, 4.
Tubucellaria, *d'Orb.*, 405.
Tubularia indivisa (*Linn.*), 254.
Tubulipora aperta, *Harmer*, 31, 33.
— fimbria var. pulchra, *Waters*, 30.
— flabellaris, *Fabr.*, 31, 37.
— incrassata, *Waters*, 3, 32.
— Lamourouxii, *Waters*, 3, 31, 33; mentd.,
2.
— liliacea, *Harmer*, 31.
— occidentalis, *Robertson*, 31.
— organizans, *d'Orb.*, 31.
— phalangea, *Couch*, 31.
— plumosa, *W. Thomps.*, 31.
— pulchra, *MacG.*, 3, 30.
Turbo crista, *Linn.*, 212.
— muscorum, *Linn.*, 204, 209.
— perversa, *Linn.*, 204, 210.
— pulcher, *Reeve*, 154.
— reflexus, *Linn.*, 214.
— stagnalis, *Bast.*, 213.
— ulvæ, *Penn.*, 213.
— ventrosus, *Mont.*, 213.
Turnix varia, *Mathews*, 463.

- Turnix varia scintillans*, Gould, 463.
 — — *stirlingi*, Mathews, 463.
Turritella warburtonensis, Tate, mentd.,
 501.
 Turtle, Green, 485.
 Turtle-doves, mentd., 457.

Ulex europæus, Linn., mentd., 47.
Ulva, Linn., sp., 166.
Unio, Retz., 215.
 — pictorum, Retz., 214.
 — tumidus, Retz., 205.
 Unwin, E. E., Notes upon the reprod. of
Asellus aquaticus, 335-343.
Upogebia heterocheir, Kemp, 396.
 — pseudochelata, Tattersall*, 345, 351,
 395.
 — savignyi (Strahl), 351, 395.
Uroglenopsis, (?), 306.
Urtica marina americana, Seba, mentd.,
 498.

Vallonia excentrica, Sterki, 205.
Valvata piscinalis (Müll.), 205.
Valvifera, new groups of, 71.
Vanessa urticæ (Linn.), 446.
Velia currens, Latr., not taken by Trout,
 50.
Vermetus, Adans., sp., 148, 150, 153, 160,
 161, 170.

Verongia, Bowerb., 310, 322.
Vetola lapponica baueri (Naumann), 474.
Vibracella trapezoides, Reuss, 401, 403.
Vincularia novæ-hollandiæ, Hasw., 13.
Virago castanea (Eyton), 476.
 — gibberifrons (S. Müll.), 476.
Viviparus vivipara, Montf., 214.
Volvox, Müll., mentd., ftnote 307.

 Wallaby, 177; early description, 132.
 Waters, A. W., Littoral Marine fauna of
 the Cape Verde Islands, 1-45; Obs.
 upon the relationships of the (Bryozoa)
 Selenariadæ, Conescharellinidæ, etc.,
 fossil and recent, 399-427.
 Whales, mentd., 175.
Whiteornis goodenovii ruficapillus,
Mathews, 465.
 Woodward, B. B., see Kennard, A. S.
Wynyardia bassiana, Spencer, mentd.,
 501.

Zalophus lobatus, Ogilby, 478.
Zenobiana, Stebbing, 69-71.
Zonitoides nitidus (Müll.), 204.
Zoobotryon pellucidum, Ehr., 3, 41.
Zostera, Linn., mentd., 248.
 — marina, Linn., abundance, 257.
 — sp., 160.
Zosterops gouldi, Bonap., 466.